Shaker Compact type











Compact Mini Shaker for easy use

Structural Functional Features

- · Max. rpm of 300 is suitable for life science experiments sensitive to low rpm such as hybridization and immunocytochemistry.
- · Orbital motion with shaking radius of 13 mm.
- · Stable control up to 4 kg.
- · It can be used mounted nine 250ml flasks.
- · Count-down timer. (up to 99 hours and 59 minutes)
- · Displays the elapsed time.
- · Various accessories are available.

Use Convenience Features

- · It can be used in a temperature chamber such as cold room or incubator because it can be used at ambient temperatures between 2°C and 60°C.
- · Small size and light weight provide good mobility and usability in various laboratory environments and experiment requirements.
- · Accurate shaking control according to sample weight with PID feedback control.
- · Easy to operate with clear VFD display, touch keys and control knobs.
- · Displays the set rpm and actual rpm simultaneously, and displays timer operation information.



CMS-350

with Universal Platform, Flask Clamp (option)

Outstanding Safety

- · Self-checks for errors.
- · Body made from PP material with excellent chemical resistance.
- · Protected from overcurrent.

Specification

	Model	CMS-350					
Shaking system							
Motion type		Orbital					
Speed range (rpm)		50 to 300					
Rpm control at 100r	pm (± rpm)	5					
Orbit size (mm / inch,	dia)	13					
Timer		Run time: 1min ~ 99hr 59min					
Dimension							
Tray (W x D, mm / inch	1)	276 x 276 / 10.87 x 10.87					
Platform (W x D, mm ,	/ inch)	250 x 250 / 9.8 x 9.8					
Body ¹⁾ (W x D x H, mm	/ inch)	249 x 325 x 109 / 9.8 x 12.8 x 4.3					
Net weight (kg / lbs)		8 / 17.6					
Electrical requirements		AC 100 ~ 240V, 50/60Hz, 0.1A					
Cat Na	KR Plug	AAH3B1115K					
Cat. No.	US Plug	AAH3B1115U					

When operating at room temperature after use at low temperature, it may be affected by condensation. We recommend that you turn on the power after leaving at room temperature for a while.
 Main body dimension without accessories

Accessories Page 124

Universal Platform, Spring Wire Rack, Rubber Mat, Universal Attachment, Lab Sticker, Flask Clamp, Funnel Clamp, Test Tube Rack, Microplate Holder



Accessories for Shaker

Universal Platform



Universal Platform

Basic accessories required to use separated funnels, erlenmeyer flask, test tube, etc.



Dual Universal Platform

Maximum sample loading possible with twostage structure. (SKC-7000 series model exclusively)

Accessories for Universal Platform



Flask Clamp (STS / Plastic)

Erlenmeyer flask mounting (50ml – 6L) High-strength spring maintains excellent clamping.



Starter Kit

Consisting of plastic clamps that are commonly used on Universal Platforms. 50ml, 100ml, 250ml, 500ml, 1L, 2L.



Funnel Clamp

Separated funnel mounting (250ml - 2L) Easy detachment and stable clamping.



Test Tube Rack

Test tube mounting (Ø8 mm - Ø35 mm) Easily adjustable angle.



Microplate Holder

Various configurations for microplate Single, Tower, Flat A (Large), Flat B (Small)



Lab Sticker

Excellent adhesion at 200mm x 200mm size, applied to petri dishes, culture bottles, etc.

Temp. Range (°C): 15~60 Max. Speed (rpm): 250






LC GreenBox

Real-time monitoring of device operation via mobile app.

Up to 4 devices can be connected.

Set Accessories



Spring Wire Rack, Half Spring Wire Rack

Available to load various sample container shapes.

For SKC-7000, half type can be used that providing both a universal platform and spring wire rack.



Dedicated Platform

Accessories (250 ml, 500 ml) installed on platform with maximum quantity of flask clamps



Rubber Mat

Convenient for use with culture bottles and petri dishes with rubber plate to prevent slipping on the floor.



Universal Attachment

Floor rubber plate and adjustable clamping rod make it a convenient structure for a wide range of applications.



Microplate Tray (Dual Stacking Tray)

Dual stacking structure for microplate allows for excellent space utilization.



Microplate Tray (Large Tray)

The tray for microplates with anti-slip rubber plate on the bottom. (OS-2000, CMS-350)



Stage Rack

The rack maximizes space efficiency by stacking up to four shakers. (OS-2000/4000/7000)



Weight Increaser

Accessories allowing for use of SKC series shaker up to 500rpm.

Starter Kit

Description	Composition of Clamp	Cat. No.
Starter Kit I	50 ml (2), 100 ml (2), 250 ml (4), 500 ml (4), 1L (2), 2L (2)	AAA30581
Starter Kit II	50 ml (3), 100 ml (3), 250 ml (6), 500 ml (6)	AAA30582

Description		OS-2000	OS-3000	OS-4000	OS-7000 Series	SKC-6000 Series		SKC-700	SKC-7000 Series	
Spring Wire Rack (Half)		-	-	-	-	-	-	AAA305251)	AAA30526 ²⁾	-
Dedicated Platfor	ms (250 mL)	-	AAA23611-V1	AAA23621-V1	AAA23634	-	-	-	-	-
Dedicated Platforms (500 mL)		-	AAA23613-V1	AAA23622-V1	AAA23635	-	-	-	-	-
Rubber Mat		AAA3A531-V1	AAA23531-V1	AAA23532-V1	AAA23534	AAA30531 ¹⁾	AAA30532 ²⁾	AAA305331)	AAA30534 ²⁾	AAA38501
Universal Attachn	Universal Attachment		AAA23511-V1	AAA23512-V1	AAA23505	AAA30511 ¹⁾	AAA30512 ²⁾	AAA305131)	AAA30514 ²⁾	AAA3B521
Lab Sticker		AAA30551	AAA30551	AAA30551	AAA30551	AAA30551	AAA30551	AAA30551	AAA30551	AAA30551
Microplato Trav	Dual Stacking	AAA3A541	-	-	-	-	-	-	-	AAA3B531
Microplate Tray Large Tray		AAA3A542	-	-	-	-	-	-	-	AAA3B532
Stage Back 4 Stages		-	AAA31541-V1	AAA31542-V1	AAA31702-V1	-	-	-	-	-
Stage Rack	3 Stages	-	-	-	AAA31703-V1	-	-	-	-	-
Weight Increaser		-	-	-	-	AAA30562	AAA30562	AAA30561	AAA30561	-

¹⁾ Small Size



²⁾ Large Size

Description Universal Platform		Model	OS-2000	OS-3000	OS-4000	OS-7000 Series	SKC-600	0 Series	SKC-700	00 series	CMS-350
		Platform Size (mm / inch)	320 x 260 / 13.8 x 10.2	350 x 350 / 13.8 x 13.8	450 x 450 / 17.7 x 17.7	755 x 520 / 29.7 x 20.5	580 x 520 / 22.8 x 20.5 (Small)	660 x 520 / 25 x 20.5 (Large)	755 x 520 / 29.7 x 20.5 (Small)	885 x 520 / 34.8 x 20.5 (Large)	276 x 276 / 10.9 x 10.9
		Cat. No.	AAA3A501-V2	AAA23501-V3	AAA23502-V3	AAA23503-V3	AAA30501	AAA30503	AAA30502 ¹⁾ AAA30541 ²⁾	AAA30504 ¹⁾ AAA30542 ²⁾	AAA3B501
	50 mℓ	AAA23550	20	36	49	88	84	96	108 (216) ³⁾	126 (252) ³⁾	16
	100 ml	AAA23551	16	28	39	68	54	66	72 (144) ³⁾	84 (168) ³⁾	9
	250 mℓ	AAA23552	8	14	24	39	33	39	42 (84) ³⁾	51 (102) ³⁾	9
Flask Clamp	300 mℓ	AAA23556	8	14	24	39	28	32	36	40	9
for Erlenmeyer	500 mℓ	AAA23553	6	10	16	28	20	24	27	30	5
Flask	1 L	AAA23554	3	6	9	18	14	16	18	20	4
(Stainless steel) ⁴⁾	2 L	AAA23555	-	4	6	11	8	11	12	13	1
	2.8 L	AAA23557	-	3	5	8	6	7	9	11	-
	4 L	AAA23558	-	1	4	6	4	6	8	9	-
	6 L	AAA23559	-	1	3	5	3	4	6	7	-
	50 mℓ	AAA30570	20	36	49	88	56	64	72	80	16
	100~125 mℓ	AAA30571	12	19	29	48	42	48	54	60	9
Flask Clamp	200 ml	AAA30572	8	13	21	35	25	39	30	32	9
for Erlenmeyer	250 mℓ	AAA30573	8	13	19	35	25	30	30	32	9
Flask	300 ml	AAA30574	6	12	19	35	25	30	30	32	9
(Plastic) ⁵⁾	500 mℓ ⁶⁾	AAA30575	6	9	12	24	20	20	24	28	5
	1 L ⁶⁾	AAA30576	3	5	9	12	10	12	12	15	4
	2 L ⁶⁾	AAA30577	-	4	5	8	6	6	6	9	1
	250 mℓ	AAA23562	4	4	6	15	14	16	18	20	3
Funnel Clamp	500 mℓ	AAA23563	3	3	4	10	9	10	11	14	2
runnet Clamp	1 L	AAA23564	3	3	3	7	7	8	9	12	2
	2 L	AAA23565	-	2	2	5	5	6	7	8	-
	Ø8 mm (86ea)	AAA23581	2	2	4	7	8	9	9	12	2
	Ø10 mm (86ea)	AAA23582	2	2	4	7	8	9	9	12	2
	Ø12 mm (58ea)	AAA23583	2	2	4	7	8	9	9	12	2
Test Tube Rack ⁴⁾	Ø14 mm (58ea)	AAA23584	2	2	4	7	8	9	9	12	2
	Ø17 mm (32ea)	AAA23585	2	2	4	7	8	9	9	12	2
	Ø25 mm (19ea)	AAA23586	2	2	4	7	8	9	9	12	2
	Ø35 mm (10ea)	AAA23594	2	2	4	7	8	9	9	12	2
	Single	AAA23654	6	8	15	25	20	23	25	28	6
Microplate	Tower	AAA23651	4	6	10	21	16	19	22	25	6
Holder ⁴⁾	Flat A (Large)	AAA23652	-	-	2	4	3	4	4	5	-
	Flat B (Small)	AAA23653	1	2	3	6	4	5	6	7	-

1) Single platform installed in SKC-7000
2) Dual platform installed in SKC-7000, only flasks less than 250ml can be installed on the lower platform. (Height of lower platform is about 175mm)
3) The numbers in parentheses indicate the maximum number of 250ml flasks that can be installed when Dual Platform is mounted.

4) Maximum quantity that can be mounted on each platform (For test tube rack, it is the maximum quantity when the rack is not to be tilted)
 5) In the case of plastic flask clamps mounting, deformation may occur at temperatures over 40°C. Stainless steel flask clamps are recommended when using in a high temperature environment.
 6) Possible to use under 300rpm

Spring Wire Rack		OS-2000	OS-3000	OS-4000	OS-7000 Series	SKC-6000 Series		SKC-7000 Series		CMS-350
		03-2000	03-3000			Small	Large	Small	Large	CM2-220
Spring Wire Rack (Cat. No.)		AAA3A521	AAA31521-V1	AAA31522-V1	AAA23514	AAA30521	AAA30522	AAA30523	AAA30524	AAA3B511
	50 mL	15	16	25	45	30	35	45	50	15
	100 mL	9	9	16	28	20	24	28	32	9
	250 mL	4	4	9	18	12	15	18	21	4
Quantity of	300 mL	4	4	9	18	12	15	18	21	4
Erlenmeyer Flask	500 mL	4	4	5	15	9	12	15	18	4
	1 L	2	2	4	10	6	8	10	12	2
	2 L	-	1	2	6	4	5	6	7	-
	2.8 L	-	1	2	4	3	3	4	5	-

LC GreenBox

Description	OS-2000	OS-3000	OS-4000	OS-7000 Series
LC GreenBox	AAHQ1011K	AAHQ1011K	AAHQ1011K	AAHQ1011K